## **NINEK NANOTECH PVT. LTD.**

\_\_\_\_\_\_

## **Product Name: 9K THERMOCARE**



## Detail:

The differences between Rubber and Polyurethane are heat and chemical resistance properties. Rubber soles give greater resistance. Shoes with rubber soles are therefore the correct choice for areas of application in which these kinds of hazards may arise. Vulcanized Nitrile Rubber can withstand temperature of 300° C. PU+Nitrile Rubber shoes provide comfort to the wearer. Polyurethane midsole gives cushioning effect and helps in energy absorption thereby increasing the work efficiency of the wearer.

## **Description:**

NAME	9K THERMOCARE
UPPER MATERIAL	GENUINE LEATHER 1.8-2.0 MM THICKNESS
QUARTER LINING	Sweat absorbent Grey Mesh having excellent abrasion
	resistance.
TOE CAP	Steel Toe Cap EN 12568 200J with Comfort Strip. Protect
	against compression injury up to 15 KN.
INSOLE	Anti-Static Insole.
OUTSOLE	Nitrile Rubber having excellent abrasion resistance and
	heat resistant up to 300? C.
INSOCKS	4 mm soft EVA Insocks.
SIZE	UK 05 - UK 12

PROPERTIES	ANTI STATIC, ANTI SKID, OIL & ACID RESISTANT, AND HEAT
	RESISTANT UP TO 300? C