

NINEK NANOTECH PVT. LTD.

Product Name : 9K PLATINIUM (PU/Rubber)



Detail :

The differences between Rubber and Polyurethane are heat and chemical resistance properties. Rubber soles give greater resistance. Shoes with rubber soles are therefore the correct choice for areas of application in which these kinds of hazards may arise. Vulcanized Nitrile Rubber can withstand temperature of 300° C. PU+Nitrile Rubber shoes provide comfort to the wearer. Polyurethane midsole gives cushioning effect and helps in energy absorption thereby increasing the work efficiency of the wearer. Also, PU+Nitrile Rubber shoes are light

Description :

NAME	9K PLATINIUM
UPPER MATERIAL	GENUINE LEATHER 1.8-2.0 MM THICKNESS & WATER RESISTANT
QUARTER LINING	Sweat absorbent black mesh having excellent abrasion
	resistance.
TOE CAP	Polycarbonate Toe Cap EN 12568 200J with Comfort Strip.
	Protect against
	compression injury up to 15 KN.
INSOLE	Anti-Static Penetration resistant Kevlar. Tested for 1100
	Newton.
MIDSOLE	Polyurethane (PU) Black colour serving as a Cushion for
	comfort.

OUTSOLE	Nitrile Rubber having excellent abrasion resistance and
	heat resistant up to 300?
C.	
INSOCKS	6 mm soft PU moulded Insocks.
SIZE	UK 04 - UK 14
PROPERTIES	Anti-static, Anti penetration, ANTI SKID, OIL & ACID
	RESISTANT, SHOCK ABSORBER
AND HEAT RESISTANT UP TO 300? C	